# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/EP05/002229

International filing date: 03 March 2005 (03.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: GB

Number: 0405760.0

Filing date: 15 March 2004 (15.03.2004)

Date of receipt at the International Bureau: 23 March 2005 (23.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)







# PCT/EP200 5 / 0 0 2 2 2 9



The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.


In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 4 February 2005





Parents Form 1/77

Paten ct 1977 (Rule



The Patent Office

Cardiff Road Newport South Wales NP10 8QQ

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you till in this form)

1. Your reference

PPD 70433/GB/P

2. Patent application number 1 5 MAR 2004

0405760.0

3. Full name, address and postcode of the or of SYNGENTA PARTICIPATIONS AG each applicant (underline all surnames) Intellectual Property Department

Intellectual Property Department
Schwarzwaldallee 215
4058 Basel
SWITZERLAND

Patents ADP number (if you know it)

(The Patent Office will fill in this part)

If the applicant is a corporate body, give the country/state of its incorporation

4. Title of the invention

AGROCHEMICAL FORMULATION

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Jane Elizabeth SWIFT

Intellectual Property Department
Syngenta Limited
Jealott's Hill International Research Centre
PO Box 3538
Bracknell, Berkshire, RG42 6YA
UNITED KINGDOM

3029503001

5222001

Patents ADP number (if you know it)

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' tf:

a) any applicant named in part 3 is not an inventor, or

 there is an inventor who is not named as an applicant, or

YES (b)

c) any named applicant is a corporate body.See note (d))

#### Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.Do not count copies of the same document

Continuation sheets of this form

Description

0

Claim(s)

Abstract 00

Drawing(s) {

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

SYNCHER FIRE FICTIPATIONS, OF the basis of this application.

Signature MA Kudd Authorised Signatory Date 15 MARCH 2004

12. Name and daytime telephone number of person to contact in the United Kingdom

Margaret Ann RUDD

#### Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

#### Notes

- a) If you need belp to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of furper and write "see continuation sheet" in the relevant part(c). Any continuation sheet should be attached to this form.

(1) ผู้ผู้หวามได้เกาะ และเขาะเขาะดอดี "มีพืช" ผลเขาะเข้า โรง พระ ได้ได้ได้เกาะเขาะดอด ของดิด หนึ่ง เมื่อ

10

15

20

25

30

## AGROCHEMICAL FORMULATION

The present invention relates to a novel agrochemical formulation comprising at least two active ingredients and the use thereof.

Agricultural pesticide manufacturers have identified the need for broad-spectrum pesticidal products. Single active ingredient formulations rarely meet such broad-spectrum requirements, and thus combination products, perhaps containing up to four complementary biologically active ingredients, have been developed. Such products have several additional advantages e.g. elimination of tank mixing; reduction in inventory products; saving in time and money; and a reduction in the number of times the crop is sprayed.

The development of such products is relatively simple providing that the active ingredients to be combined are physically, chemically and biologically compatible. In these situations the active ingredients can be combined in a broad range of formulation types well known in the art. Where the active ingredients are not physically, chemically and/or biologically compatible, it has been necessary to develop novel compositions to overcome the problems associated with such incompatibilities. One example of a formulation type is the so-called 'suspoemulsion' formulation. These suspoemulsion formulations are formed by combining an emulsion phase, containing one or more active ingredients, with a continuous phase also containing one or more active ingredients in the form of a solid dispersion. This type of formulation has several user advantages related to ease of transportation, storage and field application.

However, the formation of such suspoemulsion formulations is rarely straightforward. The technical challenge and complexity to formulate suspoemulsion formulations with satisfactory physical and chemical stability has been previously reported (e.g. Suspoemulsion Technology and Trends, Joseph R. Winkle, Pesticide Formulation and Adjuvant Technology, CRC Press, 1996).

Particular problems were encountered when attempting to formulate the active ingredients of the present invention into a suspoemulsion. One of the preferred active ingredients used is mesotrione (2-(2'-nitro-4'-methylsulphonylbenzoyl)-1,3-cyclohexanedione), which may be present either as the free acid, or as a metal salt. Mesotrione free acid is chemically unstable in aqueous medium under a range of pH conditions and/or concentration. The problem of the chemical instability may be

10

15

overcome by chelating the mesotrione free acid with a metal chelating agent, for example a copper or zinc salt. However, the introduction of the metal salt into the composition surprisingly led to severe complications with the physical stability of the resulting suspoemulsion. In some cases it was noted that the chelated mesotrione particles were migrating into the emulsion phase — leading to heteroflocculation/coagulation. In other cases direct heteroflocculation occurred. Depending on the surfactant system, this heteroflocculation/coagulation could happen instantaneously on a macroscopic scale or very slowly, only under stress at a microscopic scale. This was considered very abnormal behaviour as it appeared that the event was not just a flocculation (surface to surface) event, but rather an actual migration of the mesotrione to the inside of the emulsion droplet.

It is therefore an object of the present invention to provide a chemically and physically stable suspoemulation formulation that comprises an HPPD-inhibiting herbicide as one of the active ingredients.

Accordingly, a first aspect of the invention provides a chemically and physically stable suspoemulsion formulation comprising:

- (i) à continuous phase,
- (ii) an HPPD-inhibiting herbicide insoluble in the continuous phase,
- (iii) a chloroacetamide, and
- 20 (iv) one or more aromatic ethoxylate compounds or deriviatives thereof.

The continuous phase may be any suitable solvent, for example water, glycol or alcohol, but is preferably water.

In one embodiment of the invention, the HPPD-inhibiting herbicide is a triketone, for example a 2-(substituted benzoyl)-1,3-cyclohexanedione compound of formula (I)

$$(Q)p$$
  $(Z)n$   $(I)$ 

25

wherein X represents a halogen atom; a straight—or branched-chain altyl or alltony group containing up to six carbon atoms which is optionally substituted by one or more groups—OT! or one or more halogen atoms; or a group calested from nitro, syunc.

10

15

20

25

 $CO_2R^2$ ,  $-S(O)_mR^1$ ,  $-O(CH_2)_rOR^1$ ,  $-COR^2$ ,  $-NR^2R^3$ ,  $-SO_2NR_2R^3$ ,  $-CONR^2R^3$ ,  $-CSNR^2R^3$  and  $-OSO_2R_4$ ;

R<sup>1</sup> represents a straight- or branched-chain alkyl group containing up to six carbon atoms which is optionally substituted by one or more halogen atoms;

R<sup>2</sup> and R<sup>3</sup> each independently represents a hydrogen atom; or a straight- or branched-chain alkyl group containing up to six carbon atoms which is optionally substituted by one or more halogen atoms;

R<sup>4</sup> represents a straight-or branched-chain alkyl, alkenyl or alkynyl group containing up to six carbon atoms optionally substituted by one or more halogen atoms; or a cycloalkyl group containing from three to six carbon atoms;

each Z independently represents halo, nitro, cyano, S(O)<sub>m</sub>R<sup>5</sup>, OS(O)<sub>m</sub>R<sup>5</sup>, (C<sub>1</sub>-C<sub>6</sub>)-alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>1</sub>-C<sub>6</sub>)haloalkyl, (C<sub>1</sub>-C<sub>6</sub>)haloalkoxy, carboxy, (C<sub>1</sub>-C<sub>6</sub>)-alkylcarbonyloxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl, (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl, amino, (C<sub>1</sub>-C<sub>6</sub>)-alkylamino, (C<sub>1</sub>-C<sub>6</sub>)dialkylamino having independently the stated number of carbon atoms in each alkyl group, (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonylamino, (C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonylamino having independently the stated number of carbon atoms in each alkyl group, (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyloxy, (C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyloxy, (C<sub>1</sub>-C<sub>6</sub>)dialkylcarbonyloxy, phenylcarbonyl, substituted phenylcarbonyl, phenylcarbonyloxy, substituted phenoxy or substituted phenoxy;

 $R^5$  represents cyano,  $-COR^6$ ,  $-CO_2R^6$  or  $-S(O)_mR^7$ ;

R<sup>6</sup> represents hydrogen or straight- or branched-chain alkyl group containing up to six carbon atoms;

 $R^7$  represents  $(C_1-C_6)$ alkyl,  $(C_1-C_6)$ haloalkyl,  $(C_1-C_6)$ cyanoalkyl,  $(C_3-C_8)$ cycloalkyl optionally substituted with halogen, cyano or  $(C_1-C_4)$ alkyl; or phenyl optionally substituted with one to three of the same or different halogen, nitro, cyano,  $(C_1-C_4)$ haloalkyl,  $(C_1-C_4)$ alkyl,  $(C_1-C_4)$ alkoxy or  $-S(O)_mR^8$ ;

R<sup>8</sup> represents (C<sub>1</sub>-C<sub>4</sub>)alkyl;

. 10

15

20

25

each Q independently represents  $(C_1-C_4)$ alkyl or  $-CO_2R^9$  wherein  $R^9$  is  $(C_1-C_4)$ alkyl;

m is zero, one or two;

n is zero or an integer from one to four;

r is one, two or three; and

p is zero or an integer from one to six.

Suitably, X is chloro, bromo, nitro, cyano,  $C_1$ - $C_4$  alkyl, - $CF_3$ , - $S(O)_mR^1$ , or  $-OR^1$ ; each Z is independently chloro, bromo, nitro, cyano,  $C_1$ - $C_4$  alkyl, - $CF_3$ , - $OR^1$ , - $OS(O)_mR^5$  or - $S(O)_mR^5$ ; n is one or two; and p is zero.

Preferably, the 2-(substituted benzoyl)-1,3-cyclohexanedione of formula (I) is selected from the group consisting of 2-(2'-nitro-4'-methylsulphonylbenzoyl)-1,3-cyclohexanedione, 2-(2'-nitro-4'-methylsulphonyloxybenzoyl)-1,3-cyclohexanedione, 2-(2'-chloro-4'-methylsulphonylbenzoyl)-1,3-cyclohexanedione, 4,4-dimethyl-2-(4-methanesulphonyl-2-nitrobenzoyl)-1,3-cyclohexanedione, 2-(2-chloro-3-ethoxy-4-methanesulphonylbenzoyl)-5-methyl-1,3-cyclohexanedione and 2-(2-chloro-3-ethoxy-4-ethanesulphonylbenzoyl)-5-methyl-1,3-cyclohexanedione; most preferably is 2-(2'-nitro-4'-methylsul,phonyl benzoyl)-1,3-cyclohexanedione.

The 2-(substituted benzoyl)-1,3-cyclohexanedione may be present in either the acid (non-chelated form) or as the metal chelated form. The metal chelated form of the 2-(substituted benzoyl)-1,3-cyclohexanedione may be made by adding a metal stabilizing salt to the suspoemulsion formulation. Examples of suitable stabilizing metal salts that may be used include calcium, beryllium, barium, titanium, magnesium, manganese, zinc, iron, cobalt, nickel and copper salts; most suitable are magnesium, manganese, zinc, iron, cobalt, nickel and copper salts; especially preferred is a copper salt, for example copper hydroxide. Suitably, the concentration of stabilizing metal salts in the suspoemulsion formulation of the invention is from 0.01 to 4.0%, and preferably from 0.02 to 1.5%.

In a second embodiment of the invention, the HPPD-inhibiting herbicide is a compound of formula (II)

$$R^{10}$$
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{11}$ 
 $R^{10}$ 
 $R^{11}$ 
 $R^{12}$ 

wherein  $R^{10}$  is  $C_{1-2}$  alkyl or chloro;  $R^{11}$  is hydrogen or  $C_{1-4}$  alkyl; and  $R^{12}$  is  $C_{1-4}$  alkyl. Suitably, the chloroacetamide suitable for use in the present invention includes compounds of formula (III)

5

10

15

wherein  $R^{13}$  is hydrogen, methyl or ethyl;  $R^{14}$  is hydrogen or ethyl;  $R^{15}$  is hydrogen or methyl; and  $R^{16}$  is methyl, methoxy, methoxymethyl, ethoxy, or butoxy.

Suitably, the chloroacetamide is selected from the group consisting of metolachlor, acetochlor and alachlor, preferably metolachlor, and most preferably, smetolachlor.

Suitably, the one or more aromatic ethoxylate compounds are selected from di- or tri-styrylphenol ethoxylates and their derivates, such as phosphates and sulphates and salts thereof. Examples of the one or more di- or tri-styrylphenol ethoxylates or derivatives thereof include, but are not limited to, ethoxylated tristyrylphenol, sulphates and phosphates of polyarylphenol ethoxylates. These sulphates and phosphates being used either in their acid forms, or as salts, such as ammonium, triethanolamine, etc. Examples of such products include: Soprophor BSU', 'Soprophor S25', Soprophor TS/10, Soprophor 4D384, Soprophor 3D33, Soprophor FL, etc.

20

The concentration of HPPD-inhibiting herbicide in the formulation is suitably from 10 g a.i./litre to 200 g a.i./litre, preferably from 25 g a.i./litre to 100 g a.i./litre. The concentration of chloroacetamide in the formulation is suitably from 100 g a.i./litre to 800 g a.i./litre, preferably from 250 g a.i./litre to 600 g a.i./litre. The concentration of ethoxylate in the suspoemulsion formulation is suitably from 5 g a.i./litre to 150 g

10

15

20

25

30

a.i./litre, preferably from 10 g a.i./litre to 75 g a.i./litre. Suitably, the formulation comprises at least 300g/litre of total a.i.

Whilst any pH may be appropriate for the formulations of the invention, a pH in the acidic range is considered preferable, and most preferably the formulation has a pH of 5 or less.

The suspoemulsion formulation of the present invention may also optionally comprise one or more additional active ingredients. The one or more additional active ingredients may be a pesticide, for example a herbicide, fungicide, insecticide or the like; or the additional active ingredient may be a compound selected from the class of compounds known as safeners or antidotes. The concentration of additional active ingredient in the formulation is suitably in the range of from 1 g/l to 500 g/l, and preferably from 2 g/l to 300g/l

In a further embodiment of the invention, the suspoemulsion formulation further comprises an additional active ingredient which is a herbicide, for example a herbicide selected from the class known as triazines, for example atrazine or terbuthylazine; a phosphonate herbicide, for example glyphosate or salts thereof; or a phosphinate herbicide, such as glufosinate or salts thereof. The concentration of additional herbicide is suitably in the range of from 5 g/l to 500 g/l, and preferably from 10 g/l to 300 g/l. Most preferably, the additional herbicide is a triazine, preferably atrazine or terbuthylazine.

In a still further embodiment of the invention, the suspoemulsion formulation comprises an additional active ingredient selected from the class of compounds known as safeners or antidotes, for example benoxacor, or dichlormid. The concentration of safener is suitably in the range of from 1 g/l to 100 g/l, and preferably from 2 g/l to 40 g/l.

In a yet further embodiment of the invention, the suspoemulsion formulation further comprises at least two additional active ingredients, wherein at least one of the additional active ingredients is a herbicide, for example a triazine, such as atrazine or terbuthylazine, and at least one of the other additional active ingredients is a safener, for example benoxacor or dichlormid.

The suspoemulation formulation of the present invention may also optionally comprise an electrolyte component. By the term relectrolyte component, we mean a compound which produces for a when in solution, for enample a said of an alkali metal.

10

15

20

25

embodiment, the salt is a chloride salt, for example magnesium chloride. In a second preferred embodiment, the salt is a nitrate salt, for example ammonium nitrate. Suitably, the concentration of electrolyte in the suspoemulsion formulation of the invention is from 0.1 to 200g/l, and suitably from 1 to 50g/l, and preferably less than 10g/l..

Other formulation components as appropriate may be included in the suspoemulsion. Such other components may include none, some or all of the following: crystallization inhibitors, viscosity modifiers, spray droplet modifiers, pigments, antioxidants, foaming agents, light-blocking agents, antifoam agents, sequestering agents, neutralizing agents, buffers, corrosion inhibitors, dyes, odorants, thickening agents and freezing point depressants, for obtaining special effects.

In a further aspect of the invention, there is provided a method for controlling the growth of undesirable vegetation such as weeds, which may be present around the locus of a desired plant species (which may or may not exhibit resistance, either by natural means or by genetic modification, to one or more herbicides), e.g. a crop such as corn, which comprises applying the formulation of the invention to the locus of such undesirable vegetation. Examples of undesirable vegetation include, but are not limited to, velvetleaf, redroot pigweed, common water hemp, Palmer amaranth, ivyleaf morning glory, prickly sida, giant ragweed, common ragweed, common cocklebur, Eastern black nightshade, common lambsquarters, Pennsylvania smartweed, common sunflower, jimsonweed, hemp sesbania, toothed spurge, common purslane, large crabgrass, yellow foxtail and kochia. The weeds may or may not demonstrate resistance (either naturally or genetically modification) to one or more herbicides. The suspoemulsion formulation may be applied pre-emergence or post-emergence of the crop. Preferably, the formulation is applied pre-emergent. The formulation may be applied by air or on the ground by known techniques, such as hydraulic nozzle spray.

One advantage of the suspoemulsion formulation of the present invention is that, under the majority of conditions, season-long control of weeds is obtained by just one application of the formulation.

### <u>CLAIMS</u>

- 1. A chemically and physically stable suspoemulsion formulation comprising:
  - (i) a continuous phase,
  - (ii) an HPPD-inhibiting herbicide insoluble in the continuous phase,
  - (iii) a chloroacetamide, and
  - (iv) one or more aromatic ethoxylate compounds or deriviatives thereof.
- 2. A suspoemulsion formulation according to claim 1, wherein the continuous phase is selected from the group consisting of water, glycol or alcohol.
  - 3. A suspoemulation according to any one of claims 1 or 2, wherein the HPPD-inhibiting herbicide is a compound of formula (I)

$$(Q)p \xrightarrow{Q} (Z)n$$
 (I)

- wherein X represents a halogen atom; a straight- or branched-chain alkyl or alkoxy group containing up to six carbon atoms which is optionally substituted by one or more groups  $-OR^1$  or one or more halogen atoms; or a group selected from nitro, cyano,  $CO_2R^2$ ,  $-S(O)_mR^1$ ,  $-O(CH_2)_rOR^1$ ,  $-COR^2$ ,  $-NR^2R^3$ ,  $-SO_2NR_2R^3$ ,  $-CONR^2R^3$ ,  $-CSNR^2R^3$  and  $-OSO_2R_4$ ;
- 20 R<sup>1</sup> represents a straight- or branched-chain alkyl group containing up to six carbon atoms which is optionally substituted by one or more halogen atoms;

R<sup>2</sup> and R<sup>3</sup> each independently represents a hydrogen atom; or a straight- or branched-chain alkyl group containing up to six carbon atoms which is optionally substituted by one or more halogen atoms;

25 R<sup>4</sup> represents a straight-or branched-chain alltyl, alkenyl or alkynyl group containing up to six carbon atoms optionally substituted by one or more halogen atoms; or a cycloalityl group containing from three to six carbon atoms:

10

20

25

each Z independently represents halo, nitro, cyano, S(O)<sub>m</sub>R<sup>5</sup>, OS(O)<sub>m</sub>R<sup>5</sup>, (C<sub>1</sub>-C<sub>6</sub>)-alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>1</sub>-C<sub>6</sub>)haloalkyl, (C<sub>1</sub>-C<sub>6</sub>)haloalkoxy, carboxy, (C<sub>1</sub>-C<sub>6</sub>)-alkylcarbonyloxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl, (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl, amino, (C<sub>1</sub>-C<sub>6</sub>)-alkylamino, (C<sub>1</sub>-C<sub>6</sub>)dialkylamino having independently the stated number of carbon atoms in each alkyl group, (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonylamino, (C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonylamino having independently the stated number of carbon atoms in each alkyl group, (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyloxy, (C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyloxy, (C<sub>1</sub>-C<sub>6</sub>)dialkylcarbonyloxy, phenylcarbonyl, substituted phenylcarbonyl, phenylcarbonyloxy, substituted phenoxy or substituted phenoxy;

R<sup>5</sup> represents cyano, -COR<sup>6</sup>, -CO<sub>2</sub>R<sup>6</sup> or -S(O)<sub>m</sub>R<sup>7</sup>;

R<sup>6</sup> represents hydrogen or straight- or branched-chain alkyl group containing up to six carbon atoms;

15 R<sup>7</sup> represents (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)haloalkyl, (C<sub>1</sub>-C<sub>6</sub>)cyanoalkyl, (C<sub>3</sub>-C<sub>8</sub>)cycloalkyl optionally substituted with halogen, cyano or (C<sub>1</sub>-C<sub>4</sub>)alkyl; or phenyl optionally substituted with one to three of the same or different halogen, nitro, cyano, (C<sub>1</sub>-C<sub>4</sub>)haloalkyl, (C<sub>1</sub>-C<sub>4</sub>)alkyl, (C<sub>1</sub>-C<sub>4</sub>)alkoxy or -S(O)<sub>m</sub>R<sup>8</sup>;

R<sup>8</sup> represents (C<sub>1</sub>-C<sub>4</sub>)alkyl;

each Q independently represents (C<sub>1</sub>-C<sub>4</sub>)alkyl or -CO<sub>2</sub>R<sup>9</sup> wherein R<sup>9</sup> is (C<sub>1</sub>-C<sub>4</sub>)alkyl;

m is zero, one or two;

n is zero or an integer from one to four;

r is one, two or three; and

p is zero or an integer from one to six.

4. A suspoemulation according to any one of claims 1 or 2, wherein the HPPD-inhibiting herbicide is a compound of formula (II)

$$\begin{array}{c} & & & \\ & &$$

wherein  $R^{10}$  is  $C_{1-2}$  alkyl or chloro;  $R^{11}$  is hydrogen or  $C_{1-4}$  alkyl; and  $R^{12}$  is  $C_{1-4}$  alkyl.

5. A suspoemulsion formulation according to any one of claims 1 to 4, wherein the chloroacetamide is a compound of formula (III)

wherein  $R^{13}$  is hydrogen, methyl or ethyl;  $R^{14}$  is hydrogen or ethyl;  $R^{15}$  is hydrogen or methyl; and  $R^{16}$  is methyl, methoxy, methoxymethyl, ethoxy, or butoxy.

- 6. A suspoemulsion formulation according to any one of claims 1 to 5, wherein the aromatic ethoxylate compound is selected from the group consisting of di- or tri-styrylphenol ethoxylates, and phosphates, sulphates and salts thereof.
- 7. A suspoemulation formulation according to any one of claims 1 to 6, wherein the formulation has a pH of 5 or less.
  - 8. A suspoemulation according to any one of claims 1 to 7, wherein the formulation further comprises one or more additional active ingredients selected from the group consisting of herbicides, fungicides, insecticides, safeners or antidotes.
  - o. A susposmuision formutation according to elaim D, whereir the additional notive expredient is a marke particles.

- 10. A suspoemulation formulation according to claim 8 wherein the additional active ingredient is a safener or antidote.
- 11. A suspoemulsion formulation according to claim 8, wherein the additional active ingredient comprises at least a triazine herbicide and a safener or antidote compound.
  - 12. A suspoemulation formulation according to any one of claims 1 to 11, wherein the formulation further comprises an electrolyte.
- 13. A method for controlling the growth of undesirable vegetation comprising applying to the locus of said undesirable vegetation a suspoemulation according to any one of claims 1 to 12.

		•	•	) :